

UNITED STATE EPARTMENT OF COMMERCE Patent and Trademark Office

NOTICE OF ALLOWANCE AND ISSUE FEE DUE

QM51/0323

ALLEN E HOOVER LEYDIG VOIT & MAYER TWO PRUDENTIAL PLAZA, SUITE 4900 180 NORTH STETSON STREET CHICAGO IL 60601-6780

20 MORRIS		3752	03/23/99
	emigrani i silemileni i alianni di z	75 1107 15375 4 mm	25 USC 154(b) torm out - 0 Day

TITLE OF

INVENTION HIGH-PRESSURE HOSE AND PRESSURE WASHER

ATTY'S DOCKET NO.	CLASS-SUBCLASS	BATCH NO.	APPLN. TYP	E	SMALL ENTITY	FEE DUE	DATE DUE
		,					·
3 83707	239-15	4.000	067 UTI	LITY	NO.	<u> </u>	06/23/99

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. <u>PROSECUTION ON THE MERITS IS CLOSED.</u>

THE ISSUE FEE MUST BE PAID WITHIN <u>THREE MONTHS</u> FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. <u>THIS STATUTORY PERIOD CANNOT BE EXTENDED.</u>

HOW TO RESPOND TO THIS NOTICE:

- I. Review the SMALL ENTITY status shown above.
 If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:
 - A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the Patent and Trademark Office of the change in status, or
 - B. If the status is the same, pay the FEE DUE shown above.

If the SMALL ENTITY is shown as NO:

- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, payment of 1/2 the FEE DUE shown above.
- II. Part B-Issue Fee Transmittal should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B Issue Fee Transmittal should be completed and returned. If you are charging the ISSUE FEE to your deposit account, section "4b" of Part B-Issue Fee Transmittal should be completed and an extra copy of the form should be submitted.
- III. All communications regarding this application must give application number and batch number.

 Please direct all communications prior to issuance to Box ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PATENT AND TRADEMARK OFFICE COPY

PTOL-85 (REV. 10-96) Approved for use through 06/30/99. (0651-0033)



Notice of Allowability

Application No. 09/033,332

Applicant(s)

Alexander et al.

Examiner

Lesley D. Morris

Group Art Unit 3752



All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course.
∀ This communication is responsive to <u>application filed March 2, 1998</u>
☐ The allowed claim(s) is/are 1-20
The drawings filed on are acceptable.
☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).
☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been
received.
received in Application No. (Series Code/Serial Number)
received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
*Certified copies not received:
☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).
A SHORTENED STATUTORY PERIOD FOR RESPONSE to comply with the requirements noted below is set to EXPIRE THREE MONTHS FROM THE "DATE MAILED" of this Office action. Failure to timely comply will result in ABANDONMENT of this application. Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).
☐ Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION, PTO-152, which discloses that the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED.
because the originally filed drawings were declared by applicant to be informal.
including changes required by the Notice of Draftsperson's Patent Drawing Review, PTO-948, attached hereto or to Paper No
including changes required by the proposed drawing correction filed on, which has been approved by the examiner.
[X] including changes required by the attached Examiner's Amendment/Comment.
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the reverse side of the drawings. The drawings should be filed as a separate paper with a transmittal lettter addressed to the Official Draftsperson.
☐ Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.
Any response to this letter should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE/SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included.
Attachment(s)
Notice of References Cited, PTO-892
X Information Disclosure Statement(s), PTO-1449, Paper No(s)5_
☐ Notice of Draftsperson's Patent Drawing Review, PTO-948
☐ Notice of Informal Patent Application, PTO-152
☐ Interview Summary, PTO-413
☐ Examiner's Amendment/Comment ☐ Examiner's Comment Recording Requirement for Deposit of Biological Material
Examiner's Comment Regarding Requirement for Deposit of Biological Material

Serial Number: 09/033332

Art Unit: 3752

- 1. The IDS filed June 1, 1998 is hereby acknowledged and has been placed of record. Please find attached a signed and initialed copy of the PTO-1449.
- 2. The examiner has made the following informal changes to the application to place it in condition for allowance. On page 4, line 26 of text, the reference number 15 was used for the nozzle and then later it was used for the central core. Therefore at this location, the number was changed to 18 since such number had not previously been used anywhere. Please see a corresponding approved drawing correction that makes the same change to figure 1.
- 3. Claims 1-20 are allowed.
- The following is an examiner's statement of reasons for allowance: These claims are found to be allowable because the prior art does not provide a thermoplastic hose which meets the necessary combination of a minimum bend radius no greater than 38 mm and a burst pressure of at least 8000 psi. In fact, to the contrary Gray et al. 4,380,252 and 4,447,378 meet the burst pressure but the bend radius is 127 mm. Also, Britain 809,307 has a bend radius of only 19 mm but is silent as to the burst pressure. Germany 2,429,680 merely says that it combines good flexibility with good resistance to high temperatures and high pressures. Schneider et al. And Berfield merely show high pressure washers which utilize hoses to connect between a pump source and a spray wand.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Art Unit: 3752

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Lesley D. Morris whose telephone number is (703) 308-0629. The Examiner can normally be reached Monday through Thursday from 7:30 am to 4:30 pm and on alternate Fridays.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Mr. Andres Kashnikow, can be reached at (703) 308-1137.

The group fax number is (703) 305-3588.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0858.

Lesley D. Morris
Primary Examiner

Art Unit: 3752 March 17, 1999